

ZYMETRIC

20/21

PRODUCT PRICE LIST



TABLE OF CONTENTS

| | |
|---|----|
| Midea .HOME | 4 |
| Midea .BUSINESS | 6 |
| Midea .MULTI | 8 |
| Midea .TECH | 12 |
| Midea .OUTDOOR UNITS FOR AIR-HANDLING UNITS | 14 |
| Midea .THERMAL | 16 |
| ACCESSORIES | 18 |

Price list 01.10.2020

ZYMETRIC Sp. z o.o. reserves the right to change prices.

Prices are in EUR. This price list is not an offer within the meaning of the law.

Units technical specifications as at the day of publication.

The manufacturer reserves the right to implement changes in specifications without prior notice.

The units contain fluorinated greenhouse gases (R32 GWP=675, R410A GWP=2088).



HOME

SERIES

BREEZELESS+

PREMIUM

| SET | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|-------------|------------------------------------|----------------|
| KFA-09N8-A1 | 2.6 / 2.9 | 510 |
| KFA-12N8-A1 | 3.5 / 3.8 | 540 |



R32
eko

SEER
A+++

SCOP
A++

-25°C

NEW
2020

SERIES

XTREME SAVE WARMER

PREMIUM

| SET | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|----------------|------------------------------------|----------------|
| KAG-W09NXD1-B1 | 2.6 / 2.9 | 375 |
| KAG-W12NXD1-B1 | 3.5 / 3.8 | 390 |
| KAG-W18NXD0-B1 | 5.3 / 5.6 | 520 |
| KAG-W24NXD0-B1 | 7.0 / 7.3 | 650 |



R32
eko

SEER
A+++

SCOP
A+

-30°C

SERIES

MISSION XTREME

PREMIUM

| SET | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|--------------|------------------------------------|----------------|
| KMB-E09N8-A1 | 2.5 / 2.9 | 345 |
| KMB-E12N8-A1 | 3.4 / 3.8 | 365 |
| KMB-E18N8-A1 | 5.4 / 5.4 | 480 |
| KMB-E24N8-A1 | 7.0 / 7.7 | 600 |



R32
eko

SEER
A++

SCOP
A++

-30°C

! Availability until existing stocks are exhausted.

NEW 2020 SERIES **XTREME SAVE** CLASSIC

| SET | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|---------------|------------------------------------|-------------|
| KAG-09NXD1-B1 | 2.6 / 2.9 | 365 |
| KAG-12NXD1-B1 | 3.5 / 3.8 | 385 |
| KAG-18NXD0-B1 | 5.3 / 5.6 | 515 |
| KAG-24NXD0-B1 | 7.0 / 7.3 | 645 |



R32 eko SEER A+++ SCOP A+ -15°C

SERIES **MISSION SMART** CLASSIC

| SET | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|--------------|------------------------------------|-------------|
| KMB-S09N8-A1 | 2.5 / 2.9 | 335 |
| KMB-S12N8-A1 | 3.4 / 3.8 | 355 |
| KMB-S18N8-A1 | 5.4 / 5.4 | 470 |
| KMB-S24N8-A1 | 7.0 / 7.7 | 590 |



! Availability until existing stocks are exhausted

R32 eko SEER A++ SCOP A++ -25°C

SERIES **BLANC** ECONOMY

| SET | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|--------------|------------------------------------|-------------|
| KMA-B09N8-B1 | 2.6 / 2.9 | 285 |
| KMA-B12N8-B1 | 3.5 / 3.8 | 300 |
| KMA-B18N8-A1 | 5.2 / 5.6 | 430 |
| KMA-B24N8-A1 | 7.0 / 7.3 | 550 |



R32 eko SEER A++ SCOP A+ -15°C BIO HEPA

.BUSINESS

UNITS

CEILING-FLOOR TYPE


| SET | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|--------------|------------------------------------|----------------|
| KMUE-18N8-B1 | 5.3 / 5.6 | 835 |
| KMUE-24N8-A1 | 6.9 / 7.6 | 965 |
| KMUE-36N8-A1 | 10.4 / 11.1 | 1 440 |
| KMUE-36N8-A3 | 10.5 / 11.1 | 1 450 |
| KMUE-42N8-B3 | 12.1 / 13.5 | 1 580 |
| KMUE-48N8-A3 | 14.2 / 16.1 | 1 705 |
| KMUE-55N8-A3 | 15.9 / 18.2 | 1 740 |



UNITS

DUCT

| SET | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|--------------|------------------------------------|----------------|
| KMTI-12N8-B1 | 3.5 / 4.1 | 685 |
| KMTI-18N8-B1 | 5.3 / 5.9 | 920 |
| KMTI-24N8-A1 | 7.0 / 7.6 | 1 040 |
| KMTI-36N8-A1 | 10.4 / 11.1 | 1 540 |
| KMTI-36N8-A3 | 10.4 / 11.2 | 1 550 |
| KMTI-42N8-B3 | 12.1 / 13.4 | 1 710 |
| KMTI-48N8-A3 | 14.0 / 16.0 | 1 860 |
| KMTI-55N8-A3 | 15.4 / 17.7 | 1 890 |



UNITS

CASSETTE COMPACT

| SET | | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|---------------|---|------------------------------------|----------------|
| KMCA-12N8-B1 | ○ | 3.5 / 4.4 | 620 |
| KMCA-18N8-B1 | ○ | 5.3 / 5.4 | 905 |
| KMCA-12N8-B1B | ● | 3.5 / 4.4 | 920 |
| KMCA-18N8-B1B | ● | 5.3 / 5.4 | 1 205 |



R32 eko
SEER A++
SCOP A++
-15°C
PANEL COLOUR ○ ●

UNITS

CASSETTE SLIM

| SET | | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|---------------|---|------------------------------------|----------------|
| KMCD-24N8-B1 | ○ | 7.0 / 7.4 | 1 025 |
| KMCD-36N8-B1 | ○ | 10.3 / 10.9 | 1 455 |
| KMCD-36N8-B3 | ○ | 10.5 / 11.1 | 1 465 |
| KMCD-42N8-B3 | ○ | 12.3 / 13.5 | 1 595 |
| KMCD-48N8-B3 | ○ | 13.6 / 15.9 | 1 715 |
| KMCD-55N8-B3 | ○ | 15.7 / 18.2 | 1 870 |
| KMCD-24N8-B1B | ● | 7.0 / 7.4 | 1 325 |
| KMCD-36N8-B1B | ● | 10.3 / 10.9 | 1 755 |
| KMCD-36N8-B3B | ● | 10.5 / 11.1 | 1 765 |
| KMCD-42N8-B3B | ● | 12.3 / 13.5 | 1 895 |
| KMCD-48N8-B3B | ● | 13.6 / 15.9 | 2 015 |
| KMCD-55N8-B3B | ● | 15.7 / 18.2 | 2 170 |



R32 eko
SEER A++
SCOP A+
-15°C
PANEL COLOUR ○ ●



.MULTI

SERIES

MULTI COMFORT

| MODEL | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|---------------|------------------------------------|----------------|
| M20D-18HFN8-Q | 5.3 / 5.6 | 555 |
| M30F-27HFN8-Q | 7.9 / 7.9 | 700 |
| M40E-28HFN8-Q | 8.2 / 8.8 | 805 |
| M40-36FN8-Q | 10.6 / 11.1 | 915 |
| M50-42FN8-Q | 12.3 / 12.3 | 1 035 |



R32
eko

SEER
A++

SCOP
A+

-15°C



Hydronic module
FLEXFIT HYDROBOX
is possible to connect
ONLY with outdoor unit
M40-36FN8-Q

NEW
2020

FLEXFIT HYDROBOX

| MODEL | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|---------------------|------------------------------------|----------------|
| SFENR-120/BP3DN8X-A | - / 8.0 | 1 405 |

MULTI COMFORT INDOOR UNITS

| MODEL | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|---------------------------|------------------------------------|----------------|
| SERIES BREEZELESS+ | | |
| MSFAAU-09HRFN8-QRD6GW | 2.6 / 2.9 | 255 |
| MSFAAU-12HRFN8-QRD6GW | 3.5 / 3.8 | 270 |



| | | |
|------------------------------------|-----------|------------|
| SERIES XTREME SAVE NEW 2020 | | |
| AG-09NXD1-I | 2.6 / 2.9 | 120 |
| AG-12NXD1-I | 3.5 / 3.8 | 125 |
| AG-18NXD0-I | 5.3 / 5.6 | 155 |
| AG-24NXD0-I | 7.0 / 7.3 | 180 |



| | | |
|-----------------------|-----------|------------|
| SERIES MISSION | | |
| MB-09N8D6-I | 2.5 / 2.9 | 105 |
| MB-12N8D6-I | 3.4 / 3.8 | 110 |
| MB-18N8D0-I | 5.4 / 5.4 | 135 |
| MB-24N8D0-I | 7.0 / 7.7 | 160 |



! Availability until existing stocks are exhausted.

| 4-WAY CASSETTE UNITS | | | |
|----------------------|---|-----------|------------|
| KMCA-12N8-B1M | ○ | 3.5 / 4.4 | 195 |
| KMCA-18N8-B1M | ○ | 5.3 / 5.4 | 340 |
| KMCA-12N8-B1MB | ● | 3.5 / 4.4 | 495 |
| KMCA-18N8-B1MB | ● | 5.3 / 5.4 | 640 |



| DUCT UNITS | | |
|--------------|-----------|------------|
| MTIU-12FNXD0 | 3.5 / 4.1 | 260 |
| MTIU-18FNXD0 | 5.3 / 5.9 | 355 |



| CEILING-FLOOR TYPE UNITS | | |
|--------------------------|-----------|------------|
| MUEU-18FNXD0 | 5.3 / 5.6 | 270 |



SERIES

MULTI+

| MODEL | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|----------------|------------------------------------|----------------|
| MULTI+ P80_1F | 8.0 / 9.0 | 720 |
| MULTI+ P105_1F | 10.5 / 11.5 | 995 |
| MULTI+ P120_1F | 12.3 / 13.2 | 1 350 |
| MULTI+ P120_3F | 12.3 / 13.2 | 1 630 |
| MULTI+ P140_1F | 14.0 / 15.4 | 1 675 |
| MULTI+ P140_3F | 14.0 / 15.4 | 1 685 |
| MULTI+ P160_1F | 15.5 / 17.0 | 1 760 |
| MULTI+ P160_3F | 15.5 / 17.0 | 1 765 |
| MULTI+ P180_3F | 17.5 / 19.0 | 1 765 |
| MULTI+ P200_3F | 20.0 / 22.0 | 2 165 |
| MULTI+ P224_3F | 22.4 / 24.5 | 2 430 |
| MULTI+ P260_3F | 26.0 / 28.5 | 2 450 |

REFRIGERANT
R410ASEER
A++SCOP
A+**-15°C**NEW
2020

SERIES

MULTI MAX

| MODEL | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|-------------------|------------------------------------|----------------|
| MULTI MAX P280_3F | 28.0 / 28.0 | ON REQUEST |
| MULTI MAX P335_3F | 33.5 / 33.5 | ON REQUEST |
| MULTI MAX P400_3F | 40.0 / 40.0 | ON REQUEST |
| MULTI MAX P450_3F | 45.0 / 45.0 | ON REQUEST |
| MULTI MAX P500_3F | 50.4 / 55.0 | ON REQUEST |

| MODEL | DESCRIPTION | PRICE [EUR] |
|-----------|---|----------------|
| FQT4-01 | branch box up to 4 IDU | 90 |
| FQZHN-01D | branch pipe - total capacity IDU connecting < 16kW | 21 |
| FQZHN-02D | branch pipe - total capacity IDU connecting 16-33kW | 31 |
| FQZHN-03D | branch pipe - total capacity IDU connecting >33kW | 46 |

REFRIGERANT
R410A**-20°C**

INDOOR UNITS

SERIES MULTI+ / MULTI MAX

| MODEL | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|--------------------------------------|------------------------------------|----------------|
| WALL-MOUNTED UNITS NEW 2020 | | |
| MG-17M2 | 1.7 / 2.2 | 215 |
| MG-22M2 | 2.2 / 2.4 | 235 |
| MG-28M2 | 2.8 / 3.2 | 255 |
| MG-36M2 | 3.6 / 4.0 | 280 |
| MG-45M2 | 4.5 / 5.0 | 315 |
| MG-56M2 | 5.6 / 6.3 | 325 |
| MG-71M2 | 7.1 / 8.0 | 350 |
| MG-80M2 | 8.0 / 9.0 | 355 |
| MG-90M2 | 9.0 / 10.0 | 355 |
| 4-WAY CASSETTE UNITS NEW 2020 | | |
| MQ4-17M2 | 1.7 / 2.2 | 430 |
| MQ4-22M2 | 2.2 / 2.4 | 460 |
| MQ4-28M2 | 2.8 / 3.2 | 465 |
| MQ4-36M2 | 3.6 / 4.0 | 495 |
| MQ4-45M2 | 4.5 / 5.0 | 510 |
| MQ4-52M2 | 5.2 / 5.6 | 510 |
| MQ4-56M2 | 5.6 / 6.3 | 550 |
| MQ4-71M2 | 7.1 / 8.0 | 560 |
| 2-WAY CASSETTE UNITS | | |
| MQ2-22M2 | 2.2 / 2.6 | 590 |
| MQ2-28M2 | 2.8 / 3.2 | 625 |
| MQ2-36M2 | 3.6 / 4.0 | 645 |
| MQ2-45M2 | 4.5 / 5.0 | 665 |
| MQ2-56M2 | 5.6 / 6.3 | 675 |
| 1-WAY CASSETTE UNITS | | |
| MQ1-18M2 | 1.8 / 2.2 | 410 |
| MQ1-22M2 | 2.2 / 2.6 | 450 |
| MQ1-28M2 | 2.8 / 3.2 | 525 |
| MQ1-36M2 | 3.6 / 4.0 | 530 |
| DUCT UNITS NEW 2020 | | |
| MT2-17M2 | 1.7 / 2.2 | 295 |
| MT2-22M2 | 2.2 / 2.6 | 320 |
| MT2-28M2 | 2.8 / 3.2 | 325 |
| MT2-36M2 | 3.6 / 4.0 | 330 |
| MT2-45M2 | 4.5 / 5.0 | 385 |
| MT2-56M2 | 5.6 / 6.3 | 395 |
| MT2-71M2 | 7.1 / 8.0 | 430 |
| CEILING-FLOOR TYPE UNITS | | |
| MDL-36M2 | 3.6 / 4.0 | 400 |
| MDL-45M2 | 4.5 / 5.0 | 440 |
| MDL-56M2 | 5.6 / 6.3 | 445 |
| MDL-71M2 | 7.1 / 8.0 | 465 |
| CONSOLE NEW 2020 | | |
| MZ-22M2 | 2.2 / 2.6 | 380 |
| MZ-28M2 | 2.8 / 3.2 | 400 |
| MZ-36M2 | 3.6 / 4.0 | 405 |
| MZ-45M2 | 4.5 / 5.0 | 415 |

CONTROLLERS

Controllers dedicated for series MULTI+ / MULTI MAX
Unit prices do not include controllers.


WIRELESS REMOTE CONTROLLER

MODEL: **RM12D** PRICE: **30 €**



WIRED REMOTE CONTROLLER

MODEL: **WDC-86E/KD** PRICE: **60 €**



Units for **technical rooms:**
(server room, switchers, electrical switchboard etc.)

.TECH

NEW
2020

UNITS

WALL-MOUNTED

| SET | CAPACITY [kW] cooling | PRICE [EUR] |
|---------------|--------------------------|----------------|
| KMTIR-27N1-B1 | 9.0 | 1 350 |



REFRIGERANT
R410A

-15°C

NEW
2020

UNITS

DUCT

| SET | CAPACITY [kW] cooling | PRICE [EUR] |
|------------------|--------------------------|----------------|
| KMTID-35N1-B1 | 11.2 | 1 940 |
| M2TID-41HFN1-QD0 | 14.0 | 2 300 |
| M2TID-41HFN1-QD0 | 14.0 | 2 310 |



REFRIGERANT
R410A

-15°C

NEW **2020** UNITS **CASSETTE**

| SET | CAPACITY [kW] cooling | PRICE [EUR] |
|---------------|--------------------------|--------------|
| KMTIQ-27N1-B1 | 9.0 | 1 615 |
| KMTIQ-35N1-B1 | 11.2 | 2 000 |
| KMTIQ-41N1-B1 | 14.0 | 2 360 |
| KMTIQ-41N1-B3 | 14.0 | 2 370 |



REFRIGERANT **R410A** **-15°C**

NEW **2020** UNITS **CEILING-FLOOR TYPE**

| SET | CAPACITY [kW] cooling | PRICE [EUR] |
|----------------|--------------------------|--------------|
| KMTIPP-27N1-B1 | 9.0 | 1 560 |
| KMTIPP-35N1-B1 | 11.2 | 2 005 |
| KMTIPP-41N1-B1 | 14.0 | 2 345 |
| KMTIPP-41N1-B3 | 14.0 | 2 355 |



REFRIGERANT **R410A** **-15°C**

CONTROLLERS

Controllers dedicated for series Midea .TECH.
Unit prices do not include controllers.

Other accessories
on page 18



WIRELESS REMOTE CONTROLLER
MODEL: **RM12D**
PRICE: **30 €**



WIRED REMOTE CONTROLLER
MODEL: **WDC-86E/KD**
PRICE: **60 €**



OUTDOOR

FOR AIR-HANDLING UNITS

NEW
2020

SERIES

AHU KA

| SET | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|-------------|------------------------------------|----------------|
| AHU-09-B1MB | 2.5 / 2.9 | 395 |
| AHU-12-B1MB | 3.4 / 3.8 | 410 |
| AHU-18-B1MB | 5.4 / 5.4 | 500 |
| AHU-24-B1MB | 7.0 / 7.7 | 595 |
| AHU-09-C1AG | 2.6 / 2.9 | 410 |
| AHU-12-C1AG | 3.5 / 3.8 | 425 |
| AHU-18-C1AG | 5.3 / 5.6 | 525 |
| AHU-24-C1AG | 7.0 / 7.3 | 630 |
| AHU-24-A1 | 7.0 / 7.4 | 870 |
| AHU-36-A1 | 10.5 / 11.1 | 1 280 |
| AHU-36-A3 | 10.5 / 11.1 | 1 290 |
| AHU-42-A3 | 12.1 / 13.5 | 1 415 |
| AHU-48-A3 | 13.6 / 15.9 | 1 535 |
| AHU-55-A3 | 15.7 / 18.2 | 1 555 |



R32
eko

-25°C



NEW
2020

SERIES

AHU KZ-N1

| SET | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|--------------|------------------------------------|-------------|
| AHU-180-B3 | 17.5 / 19.0 | ON REQUEST |
| AHU-200-A3N1 | 20.0 / 22.0 | ON REQUEST |
| AHU-224-B3 | 22.4 / 24.5 | ON REQUEST |
| AHU-260-A3N1 | 26.0 / 28.5 | ON REQUEST |
| AHU-280-B3 | 28.0 / 28.0 | ON REQUEST |
| AHU-335-B3 | 33.5 / 33.5 | ON REQUEST |
| AHU-400-A3N1 | 40.0 / 45.0 | ON REQUEST |
| AHU-450-A3N1 | 45.0 / 50.0 | ON REQUEST |
| AHU-500-A3N1 | 50.5 / 55.0 | ON REQUEST |



| SET | CAPACITY [kW] cooling / heating | PRICE [EUR] |
|------------|------------------------------------|-------------|
| AHU-500-B3 | 50.0 / 50.0 | ON REQUEST |
| AHU-560-B3 | 56.0 / 56.0 | ON REQUEST |
| AHU-615-B3 | 61.5 / 61.5 | ON REQUEST |
| AHU-670-B3 | 67.0 / 67.0 | ON REQUEST |
| AHU-730-B3 | 73.0 / 73.0 | ON REQUEST |
| AHU-785-B3 | 78.5 / 78.5 | ON REQUEST |
| AHU-850-B3 | 85.0 / 85.0 | ON REQUEST |
| AHU-900-B3 | 90.0 / 90.0 | ON REQUEST |



.THERMAL

NEW
2020

HEAT PUMP SYSTEM

M-THERMAL SPLIT

| SET | CAPACITY [kW] heating / cooling | PRICE [EUR] |
|------------------|------------------------------------|----------------|
| M-THERMAL-4B1HB | 4.3 / 4.5 | 1 870 |
| M-THERMAL-6B1HB | 6.2 / 6.6 | 1 920 |
| M-THERMAL-8B1HB | 8.3 / 8.4 | 2 000 |
| M-THERMAL-10B1HB | 10.0 / 10.0 | 2 140 |
| M-THERMAL-12B1HB | 12.1 / 12.0 | 2 450 |
| M-THERMAL-14B1HB | 14.5 / 13.5 | 2 500 |
| M-THERMAL-16B1HB | 16.0 / 14.9 | 2 620 |
| M-THERMAL-12B3HB | 12.1 / 12.0 | 2 580 |
| M-THERMAL-14B3HB | 14.5 / 13.5 | 2 610 |
| M-THERMAL-16B3HB | 16.0 / 14.9 | 2 670 |



R32
eko

A+++

-25°C

NEW
2020

HEAT PUMP SYSTEM

M-THERMAL MONO

| MODEL | CAPACITY [kW] heating / cooling | PRICE [EUR] |
|------------------|------------------------------------|----------------|
| MHC-V4W/D2N8-B | 4.2 / 4.5 | 1 720 |
| MHC-V6W/D2N8-B | 6.4 / 6.5 | 1 770 |
| MHC-V8W/D2N8-B | 8.4 / 8.3 | 1 820 |
| MHC-V10W/D2N8-B | 10.0 / 9.9 | 1 920 |
| MHC-V12W/D2N8-B | 12.1 / 12.0 | 2 470 |
| MHC-V14W/D2N8-B | 14.5 / 13.5 | 2 510 |
| MHC-V16W/D2N8-B | 15.9 / 14.9 | 2 530 |
| MHC-V12W/D2RN8-B | 12.1 / 12.0 | 2 630 |
| MHC-V14W/D2RN8-B | 14.5 / 13.5 | 2 730 |
| MHC-V16W/D2RN8-B | 15.9 / 14.9 | 2 830 |



R32
eko

A+++

-25°C

| MODEL | CAPACITY [kW] heating / cooling | PRICE [EUR] |
|----------------|------------------------------------|----------------|
| MHC-V18W/D2RN8 | 18.0 / 18.5 | 3 230 |
| MHC-V22W/D2RN8 | 22.0 / 23.0 | 3 310 |
| MHC-V26W/D2RN8 | 26.0 / 27.0 | 3 370 |
| MHC-V30W/D2RN8 | 30.1 / 31.0 | 3 430 |



R32
eko

A+++

-25°C

ACCESSORIES

| MODEL | DESCRIPTION | PRICE [EUR] |
|-----------------------------|--|----------------|
| CONTROLLERS | | |
| RG10A/A1 | Wireless remote controller for series Xtreme Save Warmer/Xtreme Save | 10 |
| RG70C/E3 | Wireless remote controller for series BUSINESS/ Blanc | 10 |
| RG58F1/N2 | Wireless remote controller for series Mission/ Breezeless | 15 |
| RM12D | Wireless remote controller | 30 |
| WDC-86E/KD | Wired remote controller | 60 |
| KJR-29B | Wired remote controller | 42 |
| KJR-86C | Wired remote controller | 30 |
| KJR-120C/C1 | Wired remote controller | 25 |
| KJR-120G2 | Wired remote controller | 30 |
| SK-103 | Midea WiFi HOME module | 19 |
| WF-60A1 | Midea WiFi BUSINESS module | 38 |
| DRAIN PUMPS | | |
| Zetflow ZF-1A | Drain pump, max. water flow 12 l/h | 40 |
| Zetflow ZF-2.0 | Drain pump, max. water flow 24 l/h | 53 |
| FILTERS | | |
| M/F12100207000136 | BioHEPA filter | 10 |
| M/F12100204000685 | Cold catalyst filter | 5 |
| M/F12100207000131 | Silver ion filter | 5 |
| M/F12100206A00018 | Ionizer filter (aluminum honeycomb) | 5 |
| M/F12100206A00006 | Compound filter (active carbon + vitamin C) | 5 |
| M/F12100206000056 | Electrostatic filter with active carbon | 5 |
| M/F12100206000045 | Compound filter (vitamin C + cold catalyst + anti mite) | 5 |
| M/F12100204A00135 | Compound filter (cold-catalyst + active carbon + silver ion) | 5 |
| M/F12100207000007 | Nano photocatalytic filter | 5 |
| M/F12122000008249 | 3M HAF filter | 5 |
| MULTI+ SERIES | | |
| FQT4-01 | Branch box up to 4 IDU | 90 |
| FQZHN-01D | Branch pipe - total capacity IDU connecting < 16kW | 21 |
| FQZHN-02D | Branch pipe - total capacity IDU connecting 16-33kW | 31 |
| FQZHN-03D | Branch pipe - total capacity IDU connecting >33kW | 46 |
| MIDEA .TECH | | |
| M-TECHCONTROL | Rotary operation controller | 125 |
| M-TECHCONTROL IR | Rotary operation controller with IRDA diode | 215 |
| DIAGNOSTIC INTERFACE | | |
| M/17222000A55250 | DR. Smart diagnostic interface series HOME, MULTI, BUSINESS | 110 |

ZYMETRIC



PRICE LIST
C/001/2020



ZYMETRIC Sp. z o. o.
ul. Okólna 45
05-270 Marki
T: +48 22 814 06 85

e-mail: zymetric@zymetric.pl
www.midea-electric.pl

CERTIFICATES



A list of units covered by the certification programme is available on sites:
www.eurovent-certification.com
or www.certiflash.com

